Notice of Allowability	Application No.	Applicant(s)	
	09/872,390	DOERKSEN, BRIAN JAY	
	Examiner	Art Unit	
	Alexa A. Doroshenk	1764	
	Alexa A. Doloshenk	1764	
The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not included will be mailed in due c	d ourse THIS
1. This communication is responsive to the response of June 30, 2004.			
2. The allowed claim(s) is/are <u>1-17 and 25-39</u> .			
3. \boxtimes The drawings filed on <u>28 April 2004</u> are accepted by the Ex	aminer.		
 4. ☐ Acknowledgment is made of a claim for foreign priority und a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 	been received.		
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:	,		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONMETHIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply c ENT of this application.	complying with the requ	irements
 A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which gives 	ted. Note the attached EXAMINER'S reason(s) why the oath or declarati	S AMENDMENT or NO ion is deficient.	TICE OF
6. CORRECTED DRAWINGS (as "replacement sheets") must	be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) 🔲 hereto or 2) 📋 to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date .			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)			
1. Notice of References Cited (PTO-892)	5. Notice of Informal Pa	tent Application (PTO-	152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary (I	PTO-413),	
 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 	Paper No./Mail Date), 7. ⊠ Examiner's Amendme	ent/Comment	
4. ☐ Examiner's Comment Regarding Requirement for Deposit	8. Examiner's Statemen	t of Reasons for Allowa	ance
of Biological Material	9. Other		
			į

Application/Control Number: 09/872,390

Art Unit: 1764

ALLOWANCE

Election/Restrictions

1. Applicant's election of Group I, claims 1-17 and 25-38 in the reply filed on June 30, 2004 is acknowledged. Because applicant did not distinctly and specifically point out the supposed errors in the restriction requirement, the election has been treated as an election without traverse (MPEP § 818.03(a)).

Drawings

2. The drawings were received on April 28, 2004. These drawings are acceptable and overcome the objections in the Office Action dated October 28, 2003.

Examiner's Amendment

3. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Claims 18-24 have been cancelled.

The abstract has been replaced with the following abstract ---

Tubes within a radiant heating section of a coking furnace are arranged differently than in a single vertical column and connected together in a simple, planar serpentine pattern. The tubes are arranged in a plurality of offset or staggered vertical

Application/Control Number: 09/872,390

Art Unit: 1764

columns. This arrangement permits the upper tubes to be close to the radiant heat source and also allows the tube bends connecting adjacent tubes to be of greater radius, so that the pressure at which the feedstock is passed through the tube bundle can be lower allowing more vaporization of the cracked process fluids. ---

- 4. The following is an examiner's statement of reasons for allowance: The declaration of Brian Jay Doerksen under 37 CFR §1.131 has been considered and found to overcome the effective dates of references Barnett et al. and Gibson et al. applied under 35 USC §102(e).
- 5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alexa A. Doroshenk whose telephone number is 571-272-1446. The examiner can normally be reached on Monday - Thursday from 9:00 AM - 7:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Caldarola can be reached on 571-272-1444. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/872,390

Art Unit: 1764

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Alexa A. Doroshenk

Examiner Art Unit 1764